OPERATIVE NOTE FOR PROXIMAL HUMERUS FRACTURE (PHILOS)

ภาควิชาออร์โธปิดิกส์ โรงพยาบาลเชียงรายประชานุเคราะห์

Date of Operation Time started Time ended Time
Surgeon Second Assistant Second Assistant
Scrub NurseCirculate Nurse
Clinical Diagnosis: Closed fracture proximal humerus :□ left, □2 parts □3 parts
□ right □4 parts
Post-Operative Diagnosis: Closed fracture proximal humerus: ☐ left ☐ ☐ parts ☐ 3 parts
□ right □4 parts
· · · · · · · · · · · · · · · · · · ·
Operative Procedure
Brand of LCP, Holes, Standard screws, Locking screws
AnesthesiaAnesthetist
Description of Operation
Position: ☐ Supine ☐ Beach chair
Incision: ☐ Deltopectoral ☐ Deltoid Splitted
Finding: □ 2 parts fracture □ 3 parts fracture □ 4 parts fracture
☐ Associated dislocation ☐ anterior dislocation ☐ posterior dislocation
Associated dislocation — anterior dislocation — posterior dislocation
Procedure:
- After □ Deltopectoral □ Deltoid Splitted approach was done, applied K-wire 1.6/1.8 for
temporary fixation under fluoroscopy until acceptable alignment.
- Hang suture at Rotator cuff done by fiberwire or Ethibond.
- Placed LCP and placed K-wire then check plate position until proper.
- Inserted locking screws until stable then removed K-wires.
_
- ☐ Tie Hang suture to LCP holes for augmented fixation.
- The final position of the LCP and screws was checked in 3 positions under fluoroscopy.
- Surgical wound was irrigated.
- Drain was placed.
- Skin was closed by □Nylon □Staple
- Complication: None
complication. — Notic —
Tissue cont for noth class up Voc D No
Tissue sent for pathology: ☐ Yes ☐ No
Estimate Blood Loss ml Doctor's signature
Wound classification: :□ Clean □ Clean contaminate □ Contaminated □ Dirty
ติด Sticker ผู้ป่วย
VIVI Sticker Will all