


## Burn

| Case burn  | Order for one day  | Order for continuous  |
|--|--|---|
| <p><u>Indication for admission</u></p> <ul style="list-style-type: none"> <li>■ &gt;20% of 2<sup>nd</sup> – 3<sup>rd</sup> degree</li> <li>■ Burn in specific organ (face, hand, perineum)</li> <li>■ &gt;10% burn in age &lt; 10 years or &gt; 50 years</li> <li>■ Associated injury<br/>_____</li> <li>■ Inhalation injury</li> <li>■ Electrical injury</li> <li>■ Other cause (severe comorbid)<br/>_____</li> </ul><br><br><p>_____ % Burn</p> <ul style="list-style-type: none"> <li>■ 1<sup>st</sup> degree</li> <li>■ 2<sup>nd</sup> degree</li> <li>■ 3<sup>rd</sup> degree</li> </ul> | <ul style="list-style-type: none"> <li>- Admit (Trauma ward/ICU)</li> <li>- CBC</li> <li>- BUN, Cr, E'lyte, Ca, Mg, PO4</li> <li>- LFT</li> <li>- IV fluid resuscitation (Parkland formula)<br/>= 4 x Burn% x BW<br/>50% ให้ใน 8 ชม.แรกจากเวลาบาดเจ็บ<br/>50% ให้ใน 16 ชม.หลังจากบาดเจ็บ</li> <li>- DTX q 4 hr<br/>keep 80 – 180 mg%</li> <li>- Record urine output<br/>keep &gt; _____ ml/hr</li> <li>- Record CVP q 4 hr</li> <li>- Monitor EKG in electrical burn</li> <li>- Notify แพทย์เวร</li> </ul> | <ul style="list-style-type: none"> <li>- NPO</li> <li>- Record V/S, I/O</li> <li>- Retain foley's catheter</li> <li>- Set central line</li> </ul> <p><u>Medication</u></p> <ul style="list-style-type: none"> <li>- Morphine/Pethidine<br/>_____ mg IV q 4 hr</li> <li>- Cloxacillin<br/>1 gm IV q 4 hr</li> <li>- Omeprazole<br/>40 mg IV OD</li> </ul><br><br> |

